Edexcel GCSEMathematics (Linear) – 1MA0

PROOF

Materials required for examination

Ruler graduated in centimetres and millimetres, protractor, compasses, pen, HB pencil, eraser. Tracing paper may be used. Items included with question papers



Instructions

Use black ink or ball-point pen.

Fill in the boxes at the top of this page with your name, centre number and candidate number. Answer all questions.

Answer the questions in the spaces provided – there may be more space than you need. Calculators may be used.

Information

The marks for each question are shown in brackets – use this as a guide as to how much time to spend on **each** question.

Questions labelled with an **asterisk** (*) are ones where the quality of your written communication will be assessed – you should take particular care on these questions with your spelling, punctuation and grammar, as well as the clarity of expression.

Advice

Read each question carefully before you start to answer it.

Keep an eye on the time.

Try to answer every question.

Check your answers if you have time at the end.

1. The nth even number is 2n.

The next even number after 2n is 2n + 2

(a) Explain why.

Even numbers have 2 as a factor 2n+1 does not, 2n+2 = 2(n+1) : even

(1)

(b) Write down an expression, in terms of n, for the next even number after 2n + 2

> 2n+4 **(1)**

(c) Show algebraically that the sum of any 3 consecutive even numbers is always a multiple of 6

Let 3 consecutive even numbers be 2n, 2n+2, 2n+4

 $S_{un} = 2n + 2n + 2 + 2n + 4$ = 6n+6 = 6(n+i) a multiple of 6 Since 6 is a factor 2. Prove that $(3n + 1)^2 - (3n - 1)^2$ is a multiple of 4, for all positive integer values of n.

$$(3n+1)^2 - (3n-1)^2$$

$$= (9n^2 + 6n + 1) - (9n^2 - 6n + 1)$$

$$= 9n^2 + 6n + 1 - 9n^2 + 6n - 1$$

$$=$$
 $12n$

3. Prove, using algebra, that the sum of two consecutive whole numbers is always an odd number.

Let consecutive numbers be n, n+1

n+n+1

= 2n+1

add since 2 is not a factor

4. Prove that

$$(2n+3)^2 - (2n-3)^2$$
 is a multiple of 8

for all positive integer values of n.

*5. Prove algebraically that the difference between the squares of any two consecutive integers is equal to the sum of these two integers.

Prove that $(5n + 1)^2 - (5n - 1)^2$ is a multiple of 5, for all positive integer values of n.

$$= (25n^2 + 10n + 1) - (25n^2 - 10n + 1)$$

$$= 25n^2 + 10n + 1 - 25n^2 + 10n - 1$$

7. If 2n is always even for all positive integer values of n, prove algebraically that the sum of the squares of any two consecutive even numbers is always a multiple of 4.

Let consecutive even integers be
$$2n, 2n+2$$

$$(2n)^{2} + (2n+2)^{2}$$

$$= 4n^{2} + (4n^{2} + 8n + 4)$$

$$= 8n^{2} + 8n + 4$$

$$= 4(2n^{2} + 2n + 1)$$
a multiple of 4

8. Prove that

 $(n+1)^2 - (n-1)^2 + 1$ is always odd for all positive integer values of n.

$$= (n^2 + 2n + 1) - (n^2 - 2n + 1) + 1$$

$$= n^2 + 2n + 1 - n^2 + 2n - 1 + 1$$

or
$$4n-1 = 2(2n)-1$$

9. Prove algebraically that the sum of the squares of any two consecutive numbers always leaves a remainder of 1 when divided by 4.

Let consecutive numbers be n, n+1

$$n^2 + (n+1)^2$$

$$= n^2 + n^2 + 2n + 1$$

$$= 2n^2 + 2n + 1$$

$$= 2(n^2+n)+1$$

Either nor not is even and i. has a factor of ?

2 n(n+1) has a factor of 4

... 2 n(n+1) +1 leaves a remainder of 1 when divided by 4